

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 - 10mg

Tested for: **Renova Wellness**
renovawellness.com

COA #: **COA-2026-TN4F3B**
Lot Number: **RNV-BPC-2605A**
Labeled Content: **10mg**
Volume: **3mL**

Analysis Date: **08/20/2026**
Appearance: **Good**
Volume: **3mL**
Date Received: **08/19/2026**

Method: **Purity, Identity & Quantitation (HPLC)**

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: KWDBV793

Identity	Peptide Purity	Fentanyl Free
BPC-157	99.76%	


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.76%	%	PASS
Net Peptide Content	Report Only	10.33	mg	N/A
Identity (HPLC-RTM)	BPC-157	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



BPC-157 10mg - RNV-BPC-2605A

HPLC Chromatogram



BPC-157 10mg - RNV-BPC-2605A: UV Chromatogram

Notes & Methodology

- Date Tested: 08/20/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be BPC-157 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/20/2026

COA #: **COA-2026-TN4F3B**
Access Code: **KWDBV793**
Verify: <portal.ils-lab.com>
Issued: 8/20/2026