

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## Semax + Selank - 20mg

**Tested for: Renova Wellness**  
RENOVA® renovawellness.com

COA #: COA-2026-LSEO-4  
Lot Number: RNV-SXSK-2607A  
Accession #: ACC-2026-13854  
Labeled Content: 20mg

Analysis Date: 08/05/2026  
Appearance: Good  
Sample Matrix: Lyophilized  
Date Received: 08/02/2026

Method: Blend Purity, Identity & Quantitation (HPLC)

**PASS**



Scan to verify  
authenticity at ils-lab.com  
Access Code: EYX2FM2J

|                       |                |               |
|-----------------------|----------------|---------------|
| Identity              | Peptide Purity | Fentanyl Free |
| <b>Semax + Selank</b> | <b>99.87%</b>  |               |


### Blend Purity, Identity & Quantitation (HPLC)

| Analyte                   | Specification                | Result       | Unit | Status |
|---------------------------|------------------------------|--------------|------|--------|
| Peptide Purity (HPLC)     | >= 95.0%                     | 99.87%       | %    | PASS   |
| Net Blend Peptide Content | Report Only                  | 20.86        | mg   | N/A    |
| -- Semax                  |                              | 10.53        | mg   |        |
| -- Selank                 |                              | 10.33        | mg   |        |
| Identity (HPLC-RTM)       | SEMAX + SELANK               | Confirmed    | -    | PASS   |
| Fentanyl Screen           | Immunoassay, 50 ng/mL cutoff | Not Detected | -    | PASS   |



Semax + Selank 20mg -  
RNV-SXSK-2607A

### HPLC Chromatogram



Semax + Selank 20mg - RNV-SXSK-2607A: UV Chromatogram

### Notes & Methodology

- Date Tested: 08/05/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Semax + Selank by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (Semax, Selank). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.



*Dr. Greg Kalyuzhny*

**Dr. Greg Kalyuzhny**  
Lab Director  
8/5/2026

COA #: COA-2026-LSEO-4  
Access Code: EYX2FM2J  
Verify: <portal.ils-lab.com/verify/3kfVvQLgDWcVeOLx>  
Issued: 8/5/2026